

OFFICE OF NAVAL RESEARCH


GRANT N00014-93-1-0534

R&T Code 413x004

Program Manager Dr. K. Wynne

Technical Report No. 2

Molecular Object Liquid Crystals:
An Approach to New Materials



by

Samuel I. Stupp, Kenneth A. Walker, Vassou Le Bonhuer, John L. Wu, Leonard Radzilowski, Sehwan Son, Kevin E. Huggins, Li-Sheng Li, and Milan Keser

Submitted for presentation at the American Chemical Society meeting

in Anaheim, CA

April 2-7, 1995

Department of Materials Science and Engineering
University of Illinois
Urbana, IL 61801

December 1, 1994

Reproduction in whole or in part is permitted for any purpose of the United States Government

This document has been approved for public release and sale;
its distribution is unlimited.

19941216 080

Public report's burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE December 1, 1994		3. REPORT TYPE AND DATES COVERED Technical 5/1/93 - 4/30/94	
4. TITLE AND SUBTITLE Molecular Object Liquid Crystals: An Approach to New Materials				5. FUNDING NUMBERS N00014-93-1-0534 R&T Code: 413x004 Dr. Kenneth J. Wynne	
6. AUTHOR(S) Samuel I. Stupp, Kenneth A. Walker; Vassou Le Bonheur, John L. Wu, Leonard Radzilowski, Sehwan Son, Kevin E. Huggins, Li-Sheng Li, and Milan Keser					
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Departments of Materials Science and Engineering University of Illinois 1304 W. Green St. Urbana, IL 61801				8. PERFORMING ORGANIZATION REPORT NUMBER Technical Report #2	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Dr. Kenneth J. Wynne Office of Naval Research Department of the Navy 800 North Quincy Street Arlington, VA 22217-5000				10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES Submitted for presentation at the American Chemical Society Meeting in Anaheim, CA, April 2-7, 1995					
12a. DISTRIBUTION/AVAILABILITY STATEMENT Reproduction in whole or in part is permitted for any purpose of the United States Government; this document has been approved for public release and sale; its distribution is unlimited.				12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) The one aspect of the field of liquid crystals which remains largely undeveloped is the supermolecular dimension of self ordering oligomers and polymers. In our opinion it is here that many of the potential opportunities exist for truly novel materials. An example of super-molecular chemistry is the use of liquid crystallinity as a tool to form molecular object polymers of persistent shape. This will be illustrated through the bulk synthesis of two-dimensional (2D) polymers which may be described as nanometer-thick flat objects. One exciting observation has been the formation of "macroscopic" films from the layered assemblies with two completely different surfaces which reflect directly the chemical nature of opposite surfaces of the "molecular" assemblies. Other systems give rise to films with remarkably stable nonlinear optical properties and high thresholds for laser damage. A different example to be described by the lecture is that of discrete molecular aggregates of rodcoil polymers which form superlattices and melt into liquid crystalline phases. These systems should be of interest in the manufacturing of patterned surfaces for a wide variety of technologies.					
14. SUBJECT TERMS 2D polymers, surface properties, rodcoil polymers, superlattices				15. NUMBER OF PAGES	
				16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT unclassified		20. LIMITATION OF ABSTRACT UL	

Molecular Object Liquid Crystals: An Approach to New Materials

S.I. Stupp, K. Walker, V. LeBonheur, J.L. Wu, L. Radzilowski, S. Son, K. Huggins, L.S. Li, and M. Keser, Departments of Materials Science and Engineering and Chemistry, Materials Research Laboratory, and Beckman Institute for Advanced Science and Technology, University of Illinois, Urbana, Illinois 61801

The last two decades have seen the rapid development of the field of liquid crystal polymers (LCPs) and it is presently known that ordered polymeric fluids—nematic, smectic, and cholesteric—occur within a remarkably broad range of structural chemistry. Among their unusual properties is an enormous reorientational susceptibility under weak external forces which has no analogue among common polymers. A few examples from our own work involving surface, magnetic, and electric fields are cited here (1-3). Facile field orientation is clearly of importance in the area of polymer processing, however, many of the physical properties of LCPs in the solid state can be surprisingly similar to those of polymers which melt into isotropic media. The one aspect of the field which remains largely undeveloped is the supermolecular dimension of self ordering oligomers and polymers. In our opinion it is here that many of the potential opportunities exist for truly novel materials.

An example of supermolecular chemistry with liquid crystal polymers is to consider the formation of molecular object polymers, defined as macromolecules with well defined persistent shapes which survive solid-liquid state transformations. In pursuing this objective, we have used the liquid crystalline behavior of small reactive molecules as a tool to construct objects with limited conformational degrees of freedom. If the well defined shape of these molecular objects is anisometric we can expect to observe liquid crystalline behavior in the macromolecular objects themselves. Our first effort in this area has involved the bulk synthesis of two-dimensional (2D) polymers which can be regarded as molecular sheets of thicknesses on the order of a few nanometers (4). We have observed fluid smectic phases in 2D polymers developed in our laboratory and some of them exhibit unusual properties as solid materials. Some systems of 2D molecular architecture have been found to give rise to films with remarkably stable nonlinear optical properties and high thresholds for laser damage. Others have been found to form spontaneously "macroscopic" multilayer films by solvent casting with surface properties identical to those of analogous Langmuir-Blodgett monolayer films. This is interpreted as the result of macroscopic stacking of the planar assemblies and can therefore be considered materials with self organized surfaces.

A very exciting recent result along the lines of surface properties has been the spontaneous formation of "macroscopic" films with two completely different surfaces which reflect directly the chemical nature of opposite surfaces in the molecular assemblies themselves. The contact angles of water on opposite surfaces of these "macroscopic" films are 96° and 25° implying that hydrophobic and hydrophilic surfaces form spontaneously in this material. This observation has been made using the mesomorphic oligomer shown below. This oligomer contains a middle block containing unsaturated bonds which can crosslink to produce flat molecular objects,

Optical Microscopy of Phenolic Rodcoil





Figure 1

It is also possible to consider molecular object polymers other than those with 2D architecture. We have explored the route to such objects with higher molar mass rodcoil precursors. Three interesting structures synthesized in our laboratory are shown below,






Figure 2

Most interestingly, the material organized in these superlattices melts into a liquid crystalline fluid at temperatures where the molecular aggregates are still stable and some long range order of the discs prevails. This is based on the fact that annealing at temperatures well above the solid to liquid transition is necessary to induce the observed organization after experimental samples are quenched to room temperature. These systems have great potential in the manufacturing of patterned surfaces for a wide variety of technologies, including nanolithography and self organization of sensors.

ACKNOWLEDGEMENTS

This work has been supported by grants from the Department of Energy (DE AC02 76ER01198), the National Science Foundation (DMR 89-20538, DMR-9312601), and the Office of Naval Research (N00014-93-1-0534).

REFERENCES

- REFERENCES
- 1) P. G. Martin, J. S. Moore, and S. I. Stupp, *Macromolecules*, **19**, 2459, (1986).
 - 2) J. S. Moore and S. I. Stupp, *Macromolecules*, **20**, 282, (1987).
 - 3) P. G. Martin and S. I. Stupp, *Polymer*, **28**, 897, (1987).
 - 4) S. I. Stupp, S. Son, H. C. Lin, and L. S. Li, *Science*, **259**, 59, (1993).
 - 5) L. H. Radzilowski, J. L. Wu, and S. I. Stupp, *Macromolecules*, **26**, 879 (1993).
 - 6) L. H. Radzilowski and S. I. Stupp, *Macromolecules*, in press.
 - 7) L. H. Radzilowski and S. I. Stupp, to be submitted for publication.

Accession For

NTHG CR&I	<input checked="" type="checkbox"/>
DHSO TTS	<input type="checkbox"/>
Cumulative	<input type="checkbox"/>

JAN 1968

FBI - NEW YORK

A-1